

HONEYWELL INFORMATION, NEWS, AND TIPS



AUGUST 2021

In This Issue


Contents

2021 Virtual Honeywell Users Group Tech Talks	2
2021 Industrial Cybersecurity USB Threat Report Now Available	2
Semiconductor Supply Status and Update	2
Matrox Extio Remote Peripheral Solutions (RPS) Announcement	3
Coaxial TPN Parts Last Time Buy Announcement.....	4
Dell R740XL (MZ-PCSV65) – End of Sale Availability for Microsoft Windows Server 2008 R2	5
System Inventory Tool (SIT) R300.1 Offered	6
What is SIT and Why is it Needed?	9
Is the SIT Safe for Use with Control Systems?	12
HPS Priority Notifications.....	14
Products Revisions and Support Status.....	15

Subscribe to HINTS

Login to www.HoneywellProcess.com. Go to Support > **Search Knowledge Base** and click on [System HINTS](#) under Latest Newsletters. In the page that opens, click on [Subscribe to Support Newsletters \(System HINTS\)](#)

The Search Knowledge Base page allows you to search our Knowledge Base with many technical support-related articles. So, if you need technical assistance, try the Knowledge Base first!



More Support Online (login)

You can also [create a Support Request online](#). Monitor your Support Request cases by visiting the [Request Help](#) page. For all other support queries, please [contact our Customer Contact Center](#).

For questions or comments related to the HINTS newsletter, please write to [HPS System HINTS](#).

2021 Virtual Honeywell Users Group Tech Talks

The 2021 Virtual Honeywell Users Group Tech Talks platform is now closed. Did you miss it? Feel free to reach out to your Honeywell sales manager and ask him/her about HUG. Perhaps he/she can show you exclusive information on the latest Honeywell technology.

The HUG Organizational Team.

2021 Industrial Cybersecurity USB Threat Report Now Available

This report attempts to shed new light on the industrial cybersecurity threats associated with USB removable media through analysis of data specific to this vector and specific to industrial control/OT environments.

USB-borne malware is clearly being leveraged as part of larger cyber-attack campaigns against industrial targets and has adapted to take advantage of how leveraging the ability of USB removable media to circumvent network defenses and bypass the air gaps upon which many of these facilities depend upon for protection.

A few key takeaways below, find more in the [Honeywell Industrial Cybersecurity USB Threat Report 2021](#)

- ✓ 79% of threats capable of disrupting OT (up from 59%)
- ✓ 52% were designed to establish remote access
- ✓ 2020 saw an increase in the use of USB media by 30% over 2019

Semiconductor Supply Status and Update

Ensuring product availability to meet our customers' schedules is always a top priority for Honeywell.

Currently, the semiconductor industry is incurring significant material shortages, negatively impacting global supply chains and causing delivery delays.

As a result of these shortages, a broad range of industries – from consumer electronics and automotive to industrial control – are experiencing delays.

Honeywell is among the many companies experiencing constraints in electronic component supply, which are causing longer than normal lead times across our portfolio of process control solutions. We are working closely with our suppliers to safeguard product component supplies and minimize the impact of semiconductor shortages on our customers.

Honeywell recommends ordering equipment well in advance of critical plant migrations, upgrades, and expansions to ensure sufficient time for all project activities, including staging, acceptance testing, and commissioning.

Our account teams will work with you to ensure that project plans incorporate longer lead times so you can plan your ordering needs with confidence.

We are committed to your success and will work closely with you to ensure the best possible outcomes for your automation initiatives.

Matrox Extio Remote Peripheral Solutions (RPS) Announcement

Honeywell has released support for the Matrox Extio 3 RPS solution.

This product replaces the Matrox Extio 2 RPS solution and provides video and select peripheral device connectivity to remotely mounted physical workstations using a dedicated fiber optic cable. The Matrox Extio 3 RPS installation kit provides connectivity for:

- Up to four full HD displays for desktop configurations
- Orion Console support for the UHD display and the Operator Touch Panel (OTP)
- Audio for system alarming
- Support for select USB devices including keyboards, mice, Manual Input Modules, supported touch screens, and the OEP or IKB input devices
- Installation in Honeywell Z/EZ, Classic, and Orion Console furniture

The Matrox Extio 3 components include:

- A remote graphics unit appliance that connects to displays and operator interface devices
- A transmitter appliance connected to the video card outputs from the remotely mounted workstation

The following Matrox Extio 3 model numbers have been introduced:

Model Number	Description
TP-RPSF03-100	EXTIO3 DESKTOP SINGLE-MODE SFP
TP-RPSF03-110	EXTIO3 DESKTOP MULTI-MODE SFP
TP-RPSF03-200	EXTIO3 ICON Z/EZ CLASSIC SINGLE-MODE SFP
TP-RPSF03-210	EXTIO3 ICON Z/EZ CLASSIC MULTI-MODE SFP
TP-RPSF03-400	EXTIO3 ORION SINGLE-MODE SFP
TP-RPSF03-410	EXTIO3 ORION MULTI-MODE SFP
TP-RPSF03-901	EXTIO3 RACK SHELF

The Matrox Extio 2 model numbers have been withdrawn from sale:

Model Number	Description
TP-RPSF02-100	ASSY EXTIO2,DESKTOP W/ SERIAL OEP OR IKB
TP-RPSF02-110	ASY EXTIO2,DESKTOP W/ USB IKB OR W/O OEP
TP-RPSF02-200	ASY EXTIO2,ICON SERIES CON,W/ SERIAL OEP
TP-RPSF02-210	ASSY EXTIO2,ICON SERIES CONSOLE, W/O OEP
TP-RPSF02-300	ASSY EXTIO2, Z,EZ,CLASSIC SERIES CONSOLE

Coaxial TPN Parts Last Time Buy Announcement

In System HINTS from February 2021, Honeywell notified that all TPN based coaxial nodes will be moved to Phase-out lifecycle phase on December 31, 2025 (End of Sale for TPN coaxial parts).

To enable financial planning for the upcoming End of Sale of TPN coaxial parts, Honeywell has opened End User's Last Time Buy (LTB) possibilities for parts purchase with:

- LTB orders placement start date - September 30, 2021
- LTB orders placement closure date - June 30, 2025
- Last LTB orders delivered to End User's - December 31, 2025
-

All parts shipped against the LTB orders will be newly manufactured parts.

In the period July 1, 2025 up to December 31, 2025, Honeywell will continue the supply of coax parts In case of on-site failures. based on failure replacement/exchange.

Please work with your account team If you have a committed migration approaching the deadlines.

The list of parts subject to LTB and End of Sale on December 31, 2025 are shown below:

Node Type	Part Nos	Part Description	Node Type	Part Nos	Part Description
HG	51196655-100	P/S DUAL NODE EC	EPLCG	51195096-200	PLCI I/O ADPTR
HG	51403519-160	K4SDR 16 MW	EPLCG	51196489-002	SCSI CBL
DNCF - Multiple	51402455-100	2 NODE CFA	EPLCG	51304421-200	PWA PLCG RELAY
DNCF - Multiple	51305072-200	I/O CARD K2LCN A	EPLCG	51196489-001	SCSI I/F CBL
DNCF - Multiple	51305072-300	I/O CARD K2LCN B	HG	30732052-001	PLUG TERMINATOR
DNCF - Multiple	51308093-300	PWR CORD 120V EC 35	HG	51308111-002	CABLE SET 2M
DNCF - Multiple	51306194-400	BRACKET, CAB REAR RAIL 4U LCN RITTAL	XLCNE	51305508-500	PWA, XLCNE2 I/O MULTI- 4 MODE NON-CE
DNCF - Multiple	51305451-400	POWER CORD	XLCNE	51305508-600	PWA, XLCNE2 I/O MULTI- 4 MODE CE
DNCF - Multiple	51196041-100	LCN BNC TEE SET	XLCNE	51305508-700	PWA, XLCNE2 I/O SING- 4 MODE NON-CE
DNCF - Multiple	51308093-500	CBL, AC PWR 48	XLCNE	51305508-800	PWA, XLCNE2 I/O SING- 4 MODE CE
DNCF - Multiple	51308094-300	[PWR CORD 220V	HPM	51307190-150	ASSY HPM I/O LINK CC
DNCF - Multiple	51308094-500	PWR 240V CBL CLASSIC FURN	HPM	51402573-450	UCNIF Module Assy COATED
ETN	51454196-200	ETNI PWA	HPM	51403988-150	PWA HPM COMM CONTROL CC
ETN	51306816-100	EPNI2 I/O	PC nodes	51201994-100	LCNP4
UCN Extender	51305450-400	AC PWR CORD 4FT	PC nodes	51454493-126	LCNP4E2
UCN Extender	51305413-100	FIBER OPTIC FRONT PANEL	PC nodes	51454493-226	XLCNP4E2
UCN Extender	51305409-500	FIBER OPTIC AC POWER CORD 120VAC	FSC node	10001/R/1	Vertical bus driver (VBD) CC
UCN Extender	51305410-500	POWER CORD	FSC node	10005/1/1	10005/1/1CC Watchdog mod. incl.10005/O/3

UCN Extender	51190896-200	CABLE SET	FSC node	10006/2/1	Diagnostic and battery module (DBM) CC
UCN Extender	51305450-500	AC PWR CORD 5FT	FSC node	10006/2/2	Diagnostic and battery module DBM-DCF CC
UCN Extender	51197040-500	UPPER CARDFILE UPGRADE KIT GUS/INTEL	FSC node	10007/1/1	Single Bus Driver (SBD) CP IO CC
UCN Extender	51197040-600	GUS/INTEL LWR CRDFLE	FSC node	10018/2/U	FSC Safety Manager module (FSC-SMM) CC
SBHM	51403698-100	SBHM MOTHERBOARD ASSY	FSC node	10018/E/1	FSC PlantScape Ethernet connection CC
SBHM	51403645-600	DRIVE ASSEMBLY ONLY	FSC node	10020/1/1	Quad processor module (QPM) CC
EPLCG	51400997-275	PWA, Redesigned EPLCI, Coated	FSC node	10020/1/2	Quad processor module (QPM) CC
EPLCG	51304812-200	EPLCI I/O ADAPTR	FSC node	10024/F/F	Enhanced COM module 2x RS232 CC
EPLCG	51308106-100	RS232 CABLE 50FT	FSC node	10024/H/F	Enhanced COM module int.CP+RS232 CC
NG	51306673-200	PWA NGI	FSC node	10024/H/I	Enhanced COM module int.CP + RS422/485
EPLCG	51196074-100	EPLCG INT CABLE	FSC node	10024/I/F	Enhanced COM module RS422/485 + RS232 CC
EHB	51454196-300	Experion Hiway Bridge Interface, EHBI	FSC node	10024/I/I	Enhanced COM module 2x RS422/485
EHB	51306816-200	EPNI2 I/O	FSC node	10300/1/1	24 Vdc to 5 Vdc/12 A converter CC
AM	51403519-260	XK4SDR 16 MW	FSC node	10311/2/1	Dual Key-Switch RESET/FORCE ENABLE CC
AM	51403519-166	K4SDR 16 MW	FSC node	4220167	NH Battpack 3Vhtaa Saft 3.6V/1.1Ah+C25PN
AM	51306803-100	PWA, Enhanced AMR II	FSC node	S12-BUS	Central Part system bus (12 slots)
AM	51304159-200	AMRED I/O	FSC node	S17-BUS	Central Part system bus (17 slots)
AM	51304197-200	CABLE AM/TPDG/WSI	FSC node	S7-BUS	Central Part system bus (7 slots)
AM	51196488-101	AM RED CBL	FSC node	0018/E/E	FSC PlantScape 2xEthernet connection CC
ENIM	51454196-100	EPNI2			

For more information and support related to this announcement, please contact your account manager.

Dell R740XL (MZ-PCSV65) – End of Sale Availability for Microsoft Windows Server 2008 R2

Dell is retiring the H730P PowerEdge RAID Controller (PERC) used on the Honeywell Dell R740XL configuration (model number MZ-PCSV65). This transition is due to an unexpected subcomponent obsolescence issue, and it is estimated that systems sold on or after October 1, 2021, will contain the next-generation PERC. The replacement PERC for MZ-PCSV65 will not support the legacy Microsoft Windows Server 2008 R2 operating system used on the phased-out Experion PKS R43x and Experion PKS R410 systems.

The computing industry does not provide support for the legacy Microsoft Windows Server 2008 R2 operating system on the latest hardware platforms, and with this transition, Honeywell will no longer be able to provide new server platforms for the legacy operating system and associated phased-out Experion PKS releases. System users requiring continued access to hardware for phased-out releases are encouraged to investigate the available offerings with Honeywell's Certified Recycle Parts (CRP) program.

Remote Migration Services provide an excellent choice for system modernization with reduced risks and less onsite migration activity to get to a current Experion PKS release. This PERC transition will not affect MZ-PCSV65 compatibility with the currently supported versions of Experion PKS, and an updated release of the Experion PKS System Initialization Media will be issued to provide driver support for the next-generation PERC platforms.

System Inventory Tool (SIT) R300.1 Offered

The System Inventory Tool (SIT) R300.1 is now offered for download from the System Inventory Tool Landing Page. This self-service tool can be installed on Experion PKS R400.8 or newer systems to scan the inventory details of the entire system, including the network as well as Cisco switches and associated nodes at predefined intervals. The tool generates an inventory file that users upload to the Support Portal to see their inventory details in a logical and graphical overview. The inventory file is also employed to support Honeywell's automated online contract renewal process.

Provided at no cost for all Honeywell customers, both contracted and non-contracted, the SIT runs in the background and will not impact control system performance.

Once the SIT has completed its scan, a .cab file is created and then either the Honeywell technician or the customer uploads the inventory file to the System Inventory Portal. The portal will display the licensed software sourced from Honeywell, shipped hardware sourced from Honeywell, and inventoried asset data collected by the SIT.

New with R300.1:

- Advanced solution support on Level 3 (L3)
- Additional support for QCS
- Support for Experion PMD
- Collect inventory for all network switches supported by Experion
- Improvements to the diagnostic tools to quickly detect and report on SIT failures (includes SAT and device discovery)
- Reworked device discovery
- Progress meter during the collection phase
- Profit Suite (APC) support
- Control Performance Monitor CX support
- Control Performance Monitor standard support
- Profit Blending Suite support
- Profit Movement Suite support
- DynAMo Alarm Management Suite support
- Uniformance Asset Sentinel support
- Matrikon OPC Servers support (see Appendix A for full list)
- UniSim Competency Suite support on L3

Appendix A


Matrikon Data Manager
Matrikon Desktop Historian
Matrikon OPC Server for GE Turbines
Matrikon OPC Funnel
Matrikon OPC Security Gateway
Matrikon OPC Server for Allen Bradley
Matrikon OPC Server for APACS Direct
Matrikon OPC Server for BACNet
Matrikon OPC Server for Bailey DCS [Infi 90]
Matrikon OPC Server for Citect
Matrikon OPC Server for Foxboro DCS
Matrikon OPC Server for GDA [ODBC]
Matrikon OPC Server for GE PLCs
Matrikon OPC Server for IEC 61850/61400-25
Matrikon OPC Server for IP21
Matrikon OPC Server for Johnson Controls N2
Matrikon OPC Server for KNX
Matrikon OPC Server for LonWorks LNS
Matrikon OPC Server for MarkV Direct
Matrikon OPC Server for MarkVI Direct
Matrikon OPC Server for Mitsubishi PLCs
Matrikon OPC Server for Modbus
Matrikon OPC Server for Moore APACS (API)
Matrikon OPC Server for Omni Flow Computers
Matrikon OPC Server for Omron
Matrikon OPC Server for OpenBSI
Matrikon OPC Server for ProRAE
Matrikon OPC Server for Provox (Direct)
Matrikon OPC Server for ROC
Matrikon OPC Server for RS3 RNI
Matrikon OPC Server for SCADA DNP3
Matrikon OPC Server for SCADA IEC 60870
Matrikon OPC Server for SCADA Modbus
Matrikon OPC Server for SCADA MOSCAD
Matrikon OPC Server for Siemens PLCs
Matrikon OPC Server for SNMP
Matrikon OPC Server for Vestas
Matrikon OPC Server for Wonderware InSQL (Wonderware Historian)
Matrikon OPC Server for Wonderware Intouch
Matrikon ORB
Matrikon OPC UA Tunneller - UA Proxy Component / UA Proxy
Matrikon OPC UA Tunneller - UA Wrapper Component / UA Wrapper

Installation

The SIT R300.1 is a standalone installation, and therefore not integrated with the Experion R511 media package. While the SIT can be installed on Level 2 (L2) and Level 3 (L3), the installation and configuration on both levels are independent of each other. As such, users can choose to install the tool on either or both levels, depending on their control system requirements.

Functionality of SIT on L2 and L3

Key features & differences on both levels



Information for R230 Users

Users who have installed the R230.1, R230.2 or R230.3 versions of the SIT should upgrade to R300.1 to ensure they have the latest support from Honeywell (unless they are currently running Experion R3xx.x, which is not supported by SIT R300.1). During the upgrade, their current SIT configuration will be retained.

Experion Compatibility

SIT Version	Supported Experion Version
R200.1	R301, R310, R400 and R430
R200.2	R301, R310, R400 and R430
R200.3	R301, R310, R400 and R430
R210.1	R3xx.x to R510
R210.2	R3xx.x to R510

QCS Compatibility

QCS Architecture Version	Experion PKS Layer	System Inventory Tool Release Support
RAE1xx	None	
RAE2xx	None	
RAE3xx	None	
RAE4xx	R101/201/210	No support
RAE5xx	R300/301/310/311	No support

R220.1	R3xx.x to R510
R230.1	R3xx.x to R510
R230.2	R3xx.x to R510
R230.3 (SIT patch must be installed on 32bit systems after R230.3 installation)	R400.8 to R511
R300.1	R400.8 to R515

R6xx	R 400.8	R300.1
R7xx	R5xx	R300.1

What is SIT and Why is it Needed?

Overview

The SIT provides a comprehensive system inventory documentation solution to support Honeywell’s contract renewal process. The tool enables our customers to complete their yearly contract renewal online through an automated system, better manage risk, prepare for any migrations, and ensure compliance and continuous evolution of their control system.

The SIT collects asset data, which is then hosted in a secure Honeywell data center where the customer can view all their control system asset information (both hardware and software) through the System Inventory Portal. And, best of all, the tool is provided free of charge by Honeywell for all contracted and non-contracted sites and does not require an SESP contract or Assurance 360 service agreement.

Automated Online Contract Renewals and More

The SIT was developed to support online contract renewals. Gone are the days of the laborious task of manually reviewing contract renewal worksheets, trying to track changes via emails and phone calls, and providing results in a timely manner. No more lost notes or questions such as, “What did we do last year?” All updates and notes regarding asset quantities will be captured in the tool and carried forward year after year, making future contract renewals faster and easier.

But contract renewals are just once a year—what else can you do with the tool?

Better Management of Risks

With the SIT, users are able see all control system assets by each MSID in the Honeywell System Inventory Portal. With this view, product support status is shown for each asset. Do you know if the control system is using outdated equipment or assets no longer supported by Honeywell? Finding answers like this is just a mouse click away in the portal.

When you can see all equipment in a single view via the online portal, you know exactly what hardware and software are running, what is outdated and where improvements could be made—thus better managing risk.

Compliance and Continuous Evolution of Control Systems

With the asset topology feature found in the System Inventory Portal, users have insight into the hardware components in each control system, thus avoiding lengthy delays to gather the right information when the system needs to be supported or expanded.

Today, control systems are more complex than ever before and there is limited information on how the different components need to interact. When the entire system can be visualized in one view, it increases awareness that leads to better decision-making.

Migrations

Customers have a budget for a migration, and in many cases, it's "use it or lose it." So, how will they know where best to invest in their control system?

As a user, can you quickly review every MSID design, topology, and product support status for every asset? If you've uploaded your inventory asset data file to the System Inventory Portal, all this and more are just a mouse click away. And did we mention it's free? That's right—Honeywell offers this to all our customers at no cost. No contract or service plan of any kind is required.

Quickly Locate Assets

All assets are listed by Site > MSID and user-defined system names, and because each system name is assigned to its respective MSID, finding systems is easy—even if you don't know the MSID name.

What Can the Collected Asset Data Tell You?

Keeping track of the patches and updates installed on servers and stations can be a time-consuming task. It requires logging into each server or node and checking through the control panel to see which patches and updates have been installed.

Now, if you've run the SIT and uploaded an asset inventory file to the portal, just click on the server or console station and a complete list of all installed applications, patches and updates will be displayed in an easy-to-read table.

Need to find out which version of boot firmware is installed on a C300 controller? Just click on the MSID, select the controller and a table will display everything you need to know. Want even more flexibility? Export the data to an Excel spreadsheet and sort it or create a pivot table for convenient viewing.

What Data Does the Tool Collect?

The SIT is designed to capture details of the existing system hardware and software versions, including servers, stations, controllers, I/O modules, node details, installed applications, and switch models.

How Can You View Your Data?

The System Inventory Portal allows customers and certain Honeywell account managers to see their account asset data. Within the portal, users can see all servers, stations, controllers, nodes, and switch hardware, as well as detailed information about each. Depending on which asset they're viewing, they can see the serial number, F/W, BIOS, installed software, support status, and much more.

Honeywell Updates

System Name : M [redacted] MSID : M [redacted] Product Name : Experion Server

Update Name

- ++ Patch Experion PKS R410.2 Honeywell Security Model - Workstation
- ++ Patch Experion PKS R410.2 Honeywell_HCI_Runtime
- ++ Patch Experion PKS R410 QBP Patch1
- ++ Patch Experion PKS R410 HMIWeb Station and Display Builder Patch 2
- ++ Patch Experion PKS R410.2 Configuration Studio Patch 1
- ++ Patch Experion PKS R410 Server Patch 7
- ++ Patch Experion PKS R410.2 Controller Patch
- ++ Patch Experion PKS R410.2 Honeywell_Safeview
- ++ Patch Experion PKS R410.2 Honeywell System Management Runtime

Series C I/O

System Name : M [redacted] MSID : M [redacted]

IO Link	Name	Model	Slot/Card#	Hardware Revision	Boot FW	App FW	Serial
236IOLINK_1A	DI_HV_23	CC-PDIH01	23A	C	04.01.03	04.01.08	[redacted] 3
236IOLINK_1A	DI_HV_19	CC-PDIH01	19A	C	04.01.03	04.01.08	[redacted] 5
236IOLINK_1A	DO_24B_33	CC-PDOB01	33A	G	04.01.03	04.01.08	[redacted] 1
236IOLINK_1A	DO_24B_32	CC-PDOB01	32A	G	04.01.03	04.01.08	[redacted] 3
236IOLINK_1A	DI_HV_22	CC-PDIH01	22A	C	04.01.03	04.01.08	[redacted] 2
236IOLINK_1A	DO_24B_31	CC-PDOB01	31A	G	04.01.03	04.01.08	[redacted] 8
236IOLINK_1A	DI_HV_25	CC-PDIH01	25A	C	04.01.03	04.01.08	[redacted] 9
236IOLINK_1A	DI_HV_24	CC-PDIH01	24A	C	04.01.03	04.01.08	[redacted] 6
236IOLINK_1A	DI_HV_21	CC-PDIH01	21A	C	04.01.03	04.01.08	[redacted] 7

To access the portal, go to [honeywellprocess.com/support](https://www.honeywellprocess.com/support) and login with the same credentials used when you registered.

Not registered? No problem! Registration is free and takes less than a minute. Once you are registered, login and select the Support tab, then select the System Inventory tab.

Who Can See Your Data?

All inventory data is viewable by only the customer, the customer's account manager, and Honeywell GTAC. In the event you call for support, GTAC can quickly get needed information such as F/W version, BIOS version, hardware rev, etc. No one else can ever see the data—not even other Honeywell employees.

What Data is Collected?

When you log into the System Inventory Portal, you will see a list of sites. Select a site and there are three icons: Licensed Software, Shipped Hardware, and Inventoried Assets.

Licensed Software	Shipped Hardware	Inventoried Assets
List of all licensed software shipped by Honeywell to the customer. Includes TPS BLDR, EBR, Experion PKS, GUS, PHD, and DOC 3000 licenses.	A complete list of every piece of hardware shipped by Honeywell to the customer, sorted by most recently shipped. Includes product part number, description, serial number, and date shipped.	Comprehensive list of all assets on each control system. Includes servers, stations, controllers, LCN nodes, and switches.

Used by Customers Worldwide

Today, Honeywell has over 900 sites worldwide using the SIT in more than 2,500 control systems. Many customers have reported that the tool is easily installed, runs flawlessly, and the time saved via the automated contract renewal process eliminated weeks of manual audit work. What used to be a tiresome and lengthy process can now be completed automatically, with 100 percent accuracy and in less than a day.

Helpful Links

[System Inventory Tool Download](#)

[System Inventory Tool Portal](#)

[System Inventory Web Portal Training](#)

[Frequently Asked Questions](#)

The System Inventory Tool and portal are available at <https://www.honeywellprocess.com/support>.
<https://www.honeywellprocess.com/library/marketing/notes/System-Inventory-Tool-What-is-it-and-why-I-should-be-using-it.pdf>

Is the SIT Safe for Use with Control Systems?

The SIT is a self-service tool that HPS customers install on an Experion Flex or Console Station, along with data collectors on the Experion B Server (or non-redundant node) to collect asset data at Level 1 and Level 2, which is used to support Honeywell's automated online contract renewal process.

The SIT generates an inventory file (.cab) that either the customer or Honeywell Field Support Specialist uploads to the secure System Inventory Portal where the user can see inventory details in a logical and graphical overview.

This tool is safe for use on a Honeywell control system. It runs as a low-priority Windows Service Event, which means it will throttle down or even pause if other Windows Events need to take priority. As such, the tool will not put a burden on the control system, nor adversely affect the performance of the network or control system.

The SIT does not collect any sensitive data. No IP addresses or customer information are ever collected. The data collected are strictly related to the assets (e.g., BIOS version, F/W version, model number, serial number, H/W version, and other asset-only related information).

From January 2018 to May 2020, there was a 79% increase in SIT adoption worldwide for contracted sites, with over 1,000 sites now using the tool without incident. The time saved via the automated contract renewal process eliminated weeks of manual audit work. What used to be a lengthy and rigorous process can now be completed automatically, with 100% accuracy and in less than a day.

System Inventory Tool Security

-  **Does not collect sensitive data**
No IP addresses, MAC addresses, or any sensitive network information
-  **Cybersecurity**
Secure authentication on HoneywellProcess.com
Enhanced security and support via TLS 1.1 or higher
-  **Honeywell Data Governance team**
Data access highly restricted and protected via
Encrypted two-factor authentication

When it comes to the performance impact on a running control system, the following table summarizes typical system configuration CPU usage and time to complete. As you can see, CPU impact is typically in the single-digit percentage, and the time to process data is minimal. Keep in mind that time to process will vary based on the size of the control system; number of nodes; and number of controllers, switches, servers, and stations.

Node type	System configuration	Average additional % CPU used	Time to complete audit	Number of PCs being audited
ESVT – Server B	<ul style="list-style-type: none"> Dell PowerEdge R710 server (8) Processors: Intel(R) Xeon(R) CPU E5620 @ 2.40GHz Speed: 2,394 12 GB RAM 	Negligible	7 minutes 52 seconds to 11 minutes 33 seconds	4 PCs – Server, ACE, Console Station, Flex Station
ESVT – Server A	<ul style="list-style-type: none"> Dell PowerEdge R710 server (8) Processors: Intel(R) Xeon(R) CPU E5620 @ 2.40GHz Speed: 2,394 12 GB RAM 	4.8% – 8.9%	1 minute 40 seconds to 2 minutes 56 seconds	
EST	<ul style="list-style-type: none"> Dell Precision T5500 workstation (4) Processors: Intel(R) Xeon(R) CPU X5570 @ 2.93GHz Speed: 2,926 3 GB RAM 	2.7% – 6.5%	1 minute 23 seconds to 2 minutes 50 seconds	
Flex	<ul style="list-style-type: none"> VMware virtual platform (2) Processors: Intel(R) Xeon(R) CPU X5570 @ 2.67 GHz Speed: 2,666 2 GB RAM 	7.2% - 11.9%	4 minutes to 4 minutes 21 seconds	
ACE-T	<ul style="list-style-type: none"> Dell PowerEdge T610 server (8) Processors: Intel(R) Xeon(R) CPU X5560 @ 2.80GHz Speed: 2,794 4 GB RAM 	0.3% - 1.8%	1 minute 6 seconds to 3 minutes 27 seconds	

The System Inventory Tool and portal are available via www.honeywellprocess.com/support.
<https://www.honeywellprocess.com/library/marketing/notes/System-Inventory-Tool-Is-it-safe-for-my-control-system.pdf>

HPS Priority Notifications

HPS Priority Notifications are available under “Latest Notifications” in [the Support Community](#). Be sure to check back regularly as new content is continually added in the form of notifications, *Be Aware* newsletters, Knowledge Base articles, and updates.

Document Title	Product	Rel/Rev	Date Created
PN2021-21 Controller failure with batch recipe reading specific parameters	Experion PKS using CEE based controllers including ACE, C200E, C300, UOC, vUOC, SIMACE, SIMC200E and SIMC300.	R511.3, 511.4 Controllers & Tools	06/16/2021
PN2021-20 TPN SILENCEB Green CF9r	CC-PCF901 (Control Firewall, CF9)	Firmware rev. PP, RR and TT (applicable to hardware revision D and later)	06/10/2021
PN2021-18A EHPM I/O Link LOC/LOV	EHPM	EHPM with Standalone Firmware or Experion Integrated Firmware	06/09/2021
PN2021-18 EHPM I/O Link LOV Possibility	EHPMs with Standalone Firmware or Experion Integrated Firmware	TPN R688.4 and TPN R688.5	05/26/2021
PN2021-19 EHPM Loss of View possible with Standalone Firmware	EHPM with standalone firmware (a.k.a., boot-only firmware)	EHPM Factory Firmware Image of EHPM_3.0 and latest EHPM	05/26/2021
PN2021-17 FSC-FSC communication loss when responder has node number 6	FSC System	R801.4	05/06/2021

Products Revisions and Support Status

Latest Media Revision	Latest Patch/Update	Support Status	Functional Release - First Shipment Announcement	Software Product Category
Control Performance Analytics R110x	R110.1	Supported	2018-12	Standalone Software
Control Performance Analytics R111x	R111.1	Current	01/04/2020	Standalone Software
Control Performance Monitor R60x	R601.3	Supported	2018-05	Standalone Software
Control Performance Monitor R60x	R602.5	Supported	2020-02	Standalone Software
Control Performance Monitor R60x	R603.1	Supported	2020-10	Standalone Software
Control Performance Monitor R60x	R603.2	Current	01/08/2021	Standalone Software
ControlEdge 2020 R14x	R140.1	Supported	2017-04	Standalone Software
ControlEdge 2020 R15x	R151.1	Supported	2018-11	Standalone Software
ControlEdge 2020 R16x	R160.2	Supported	2019-12	Standalone Software
ControlEdge 2020 R16x	R161.1	Current	2020-04	Standalone Software
ControlEdge HC900 R60x	R600.1	Supported	2014-04	Standalone Software
ControlEdge HC900 R62x	R620.1	Supported	2016-09	Standalone Software
ControlEdge HC900 R63x	R630	Supported	2017-04	Standalone Software
ControlEdge HC900 R65x	R650	Supported	2018-06	Standalone Software
ControlEdge HC900 R66x	R660.2	Supported	2018-12	Standalone Software
ControlEdge HC900 R70x	R700	Current	2019-12	Standalone Software
ControlEdge PLC R15x	R151.1	Supported	2018-11	Standalone Software
ControlEdge PLC R15x	R152.1	Supported	2019-04	Standalone Software
ControlEdge PLC R16x	R160.2	Supported	2019-12	Standalone Software
ControlEdge PLC R16x	R161.1	Current	2020-04	Standalone Software
DynAMo Alerts & Notifications (A&N) R200	UA R321.2	Supported	2013-10	Standalone Software
DynAMo Documentation & Enforcement (D&E) R200	ACM R321.12	Supported	2016-05	Standalone Software

DynAMo Metrics & Reporting (M&R) R200	R202.1	Supported	2017-03	Standalone Software
DynAMo Metrics & Reporting (M&R) R210.1	R210.1	Current	2020-05	Standalone Software
DynAMo Operations Logbook (DOL) R22x	R220.3	Supported	2018-06	Standalone Software
DynAMo Operations Logbook (DOL) R23X	R230.2	Supported	2019-04	Standalone Software
DynAMo Operations Logbook (DOL) R24x	R243.2	Current	2020-04	Standalone Software
DynAMo Operations Monitoring (DOM) R22x	R220.3	Supported	2018-06	Standalone Software
DynAMo Operations Monitoring (DOM) R23x	R230.2	Supported	2019-04	Standalone Software
DynAMo Operations Monitoring (DOM) R24x	R243.2	Current	2020-04	Standalone Software
Experion Backup and Restore R50x	R500.1	Supported	2017-04	Software Package
Experion Backup and Restore R50x	R501.1	Supported	2017-04	Software Package
Experion Backup and Restore R50x	R501.2	Supported	2017-04	Software Package
Experion Backup and Restore R50x	R501.3	Current	2017-04	Software Package
Experion HS R41x	R410.1	Supported	2013-07	System Software
Experion HS R43x	R430.1	Supported	2015-03	System Software
Experion HS R50x	R500.3	Supported	2017-08	System Software
Experion HS R51x	R510.2	Supported	2018-09	System Software
Experion HS R51x	R511.1	Current	2018-09	System Software
Experion LS R30x	R300.1	Supported	2009-11	System Software
Experion LS R40x	R400.1	Current	2011-06	System Software
Experion LX R11x	R110.2	Supported	2014-09	System Software
Experion LX R12x	R120.1	Supported	2015-03	System Software
Experion LX R50x	R500.2	Supported	2017-11	System Software
Experion LX R51x	R510.2	Current	2018-11	System Software
Experion MX CD Controls R70x	R700.1	Supported	2017-03	Software Package
Experion MX CD Controls R70x	R701.2	Supported	2018-05	Software Package
Experion MX CD Controls R70x	R702.1	Supported	2019-06	Software Package
Experion MX CD Controls R70x	R703.1	Supported	2021-02	Software Package
Experion MX CDMV Controls R70x	R700.1	Supported	2017-03	Software Package
Experion MX CDMV Controls R70x	R701.1	Supported	2018-05	Software Package
Experion MX CDMV Controls R70x	R702.1	Supported	2019-06	Software Package
Experion MX CDMV Controls R70x	R703.1	Current	2019-06	Software Package
Experion MX MD Controls R70x	R700.1	Supported	2017-03	Software Package
Experion MX MD Controls R70x	R701.1	Supported	2018-05	Software Package
Experion MX MD Controls R70x	R702.1	Supported	2019-06	Software Package
Experion MX MDMV Controls R70x	R700.1	Supported	2017-03	Software Package
Experion MX MDMV Controls R70x	R701.3	Supported	2018-05	Software Package
Experion MX MDMV Controls R70x	R702.1	Supported	2019-06	Software Package
Experion MX MDMV Controls R70x	R703.1	Current	2021-02	Software Package
Experion MX/MXProLine R70x	R700.5	Supported	2017-03	System Software

Experion MX/MXProLine R70x	R701.4	Supported	2018-05	System Software
Experion MX/MXProLine R70x	R702.3	Supported	2019-06	System Software
Experion MX/MXProLine R70x	R703.1	Current	2020-12	System Software
Experion PKS R50x	R501.4	Supported	2018-12	System Software
Experion PKS R50x	R501.6	Supported	2019-10	System Software
Experion PKS R51x	R510.1	Supported	2018-08	System Software
Experion PKS R51x	R510.2	Supported	2019-03	System Software
Experion PKS R51x	R511.3	Supported	2020-04	System Software
Experion PKS R51x	R511.4	Current	2020-12	System Software
Fail Safe Controller R71x	R710.9	Supported	2011-07	System Software
Fail Safe Controller R80x	R801.4	Current	2014-10	System Software
Field Device Manager R50x	R500.1	Supported	2017-03	Standalone Software
Field Device Manager R50x	R501.4	Supported	2017-03	Standalone Software
Field Device Manager R51x	R511.5	Current	2019-09	Standalone Software
Forge Blending and Movement R520.y	R520.1	Current	2021-08	Software Package
Forge Cybersecurity Suite-Enterprise Core and Premium	R201.1	Supported	2020-06	Standalone Software
Forge Cybersecurity Suite-Enterprise Core and Premium	R203.1	Supported	2021-02	Standalone Software
Forge Cybersecurity Suite-Enterprise Core and Premium	R204.1	Current	2021-06	Standalone Software
Forge Cybersecurity Suite-Site	R201.1	Supported	2020-06	Standalone Software
Forge Cybersecurity Suite-Site	R203.1	Supported	2021-02	Standalone Software
Forge Cybersecurity Suite-Site	R204.1	Current	2021-06	Standalone Software
Honeywell Forge Inspection Rounds	R4	Supported	01/07/2021	Standalone Software
Honeywell Forge Inspection Rounds	R5	Current	01/11/2021	Standalone Software
Honeywell Forge Worker Assist	1.X	Current	2021-03	Standalone Software
Honeywell Trace R130	R130.1 Patch 2	Supported	2019-03	Standalone Software
Honeywell Trace R140	R140.1	Current	2020-06	Standalone Software
Immersive Competency	R100.1	Current	2018-07	Standalone Software
Integrated Automation Assessment R15x	R150.1	Supported	2018-02	Standalone Software
Integrated Automation Assessment R16x	R160.1	Supported	2019-12	Standalone Software
Integrated Automation Assessment R17x	R170.3	Current	2020-09	Standalone Software
OptiVision R540x	R540.1	Supported	2012-01	Software Package

OptiVision R541x	R541.2	Supported	2014-08	Software Package
OptiVision R600x	R600.2	Current	2019-10	Software Package
PlantCruise R10x	R100.3	Supported	2013-07	System Software
PlantCruise R11x	R110.2	Supported	2014-09	System Software
PlantCruise R12x	R120.1	Supported	2015-03	System Software
PlantCruise R50x	R500.1	Supported	2017-11	System Software
PlantCruise R51x	R510.2	Current	2018-11	System Software
PMD R90x	R900.2	Supported	2017-02	System Software
PMD R90x	R900.3	Supported	2020-10	System Software
PMD R91x	R910.2	Supported	2018-12	System Software
PMD R91x	R910.3	Current	2020-05	System Software
Predict-Amine	R4.0	Supported	2017-09	Standalone Software
Predict-Crude	R2.0	Supported	2015-09	Standalone Software
Predict-O&G	R7.1	Supported	2018-09	Standalone Software
Predict-Pipe	R5.0	Supported	2018-12	Standalone Software
Predict-RT	R140	Supported	2019-06	Standalone Software
Predict-SA	R2.0	Supported	2014-12	Standalone Software
Predict-SW (Sour Water)	R4.0	Supported	2018-12	Standalone Software
Procedure Analyst R41x	R410.0	Supported	2013-01	Standalone Software
Procedure Analyst R43x	R430.1	Supported	2015-06	Standalone Software
Procedure Analyst R50x	R500.2	Supported	2017-03	Standalone Software
Procedure Analyst R51x	R511.1 Patch 1	Current	2020-09	Standalone Software on Experion PKS Media
Process Safety Analyzer	R115	Supported	2017-06	Standalone Software
Process Safety Analyzer R200	R201.2	Current	2020-02	Standalone Software
Profit Blending and Movement R500.y	R500.2	Supported	2016-11	Software Package
Profit Blending and Movement R501.y	R501.3	Supported	2018-05	Software Package
Profit Blending and Movement R510.y	R510.3	Supported	2019-09	Software Package
Profit Suit R50x	R502.1	Supported	2019-12	Standalone Software
Profit Suit R51x	R510.1	Supported	2020-07	Standalone Software
Profit Suit R51x	R511.1	Current	01/08/2021	Standalone Software
Quality OptiMiser R540x	R540.1	Supported	2010-10	Standalone Software

Quality OptiMiser R550x	R550.2	Supported	2014-12	Standalone Software
Quality OptiMiser R560x	R560.1	Current	2017-11	Standalone Software
Risk Manager R170	R170.1 Patch 3	Supported	2018-03	Standalone Software
RTU2020 R11x	R110.1	Supported	2015-06	Standalone Software
RTU2020 R12x	R120.1	Supported	2016-05	Standalone Software
Safety Historian R20x	R202.1	Current	2014-03	System Software
Safety Manager R14x	R146.2	Supported	2010-05	System Software
Safety Manager R15x	R154.4	Supported	2012-04	System Software
Safety Manager R16x	R162.6	Current	2014-10	System Software
Safety Manager SC R20x	R201.2	Supported	2018-08	System Software
Safety Manager SC R21x	R210.4	Current	2020-06	System Software
Secure Media Exchange (SMX)	104.6	Current	2017-08	Standalone Software
Socrates	R10.0	Supported	2019-03	Standalone Software
Symphonite Integration and Analytics R200x	R200.2	Supported	2017-07	Standalone Software
Symphonite Integration and Analytics R201x	R201.2	Current	2020-01	Standalone Software
Symphonite Production Accounting & Reconciliation	R200.1	Supported	2015-08	Standalone Software
Symphonite Production Accounting & Reconciliation	R201.2	Supported	2015-08	Standalone Software
Symphonite Production Accounting & Reconciliation	R210.1	Current	2019-02	Standalone Software
Symphonite RPMS	R510.1.8	Supported	2018-12	Standalone Software
System Inventory Tool R22x	R220.1	Supported	2017-09	Standalone Software
System Inventory Tool R23x	R230.1	Supported	2018-05	Standalone Software
System Inventory Tool R23x	R230.2	Supported	2018-05	Standalone Software
System Inventory Tool R23x	R230.3	Supported	2018-05	Standalone Software
System Inventory Tool R30x	R300.1	Current	2019-09	Standalone Software
System Performance Analyzer R130	R130.1	Supported	2020-06	Standalone Software
System Performance Analyzer R140	R140.1	Current	2021-02	Standalone Software
Taiji PID 310x	R310.1	Supported	2016-01	Standalone Software
Taiji PID 320x	R320.1	Current	2021-04	Standalone Software

TCMI R10x	R100.5	Current	2017-11	System Software
TPN (AM) CLM R36x	R360.12	Supported	2002-01	System Software
TPN R685.x	R685.4	Supported	2016-06	System Software
TPN R686.x	R686.4	Supported	2016-10	System Software
TPN R687.x	R687.5	Supported	2018-02	System Software
TPN R687.x	R687.6	Supported	2018-02	System Software
TPN R688.x	R688.4	Supported	2019-01	System Software
TPN R688.x	R688.5	Supported	2019-01	System Software
TPN R688.x	R688.6	Current	2019-01	System Software
TPS (APP) CLM R20x	R200.2	Supported	2012-07	System Software
TPS Builder R43x	R430.1	Supported	2016-05	Software Package
Uniformance Asset Sentinel R51x	R511	Supported	01/10/2017	Standalone Software
Uniformance Asset Sentinel R52x	R520.7	Supported	01/07/2019	Standalone Software
Uniformance Asset Sentinel R52x	R520.X	Supported	01/07/2019	Standalone Software
Uniformance Asset Sentinel R53x	R531.1	Supported	01/08/2020	Standalone Software
Uniformance Asset Sentinel R53x	R531.4	Current	01/04/2021	Standalone Software
Uniformance Executive R31x	R311.1	Supported	2018-03	Standalone Software
Uniformance Executive R32x	R320.1	Current	2018-09	Standalone Software
Uniformance Insight R20x	R200.1	Supported	2018-06	Standalone Software
Uniformance Insight R21x	R210.1	Supported	2019-09	Standalone Software
Uniformance Insight R22x	R220.1	Current	2020-09	Standalone Software
Uniformance KPI R12x	R121.1	Supported	2017-05	Standalone Software
Uniformance KPI R13x	R130.1	Supported	2018-03	Standalone Software
Uniformance KPI R13x	R131.1	Current	2019-11	Standalone Software
Uniformance PHD R34x	R340.1	Supported	2017-10	Standalone Software
Uniformance PHD R40x	R400.1	Supported	2019-06	Standalone Software
Uniformance PHD R41x	R410.1	Current	2021-03	Standalone Software
Uniformance Process Studio R32x	R322.2	Supported	2016-09	Standalone Software
Uniformance Process Studio R32x	R323.1	Current	2020-04	Standalone Software
UniSim Competency Suite	R460.1	Supported	2018-04	Standalone Software

UniSim Competency Suite	R461.1	Supported	2019-01	Standalone Software
UniSim Competency Suite	R470.1	Supported	2020-01	Standalone Software
UniSim Competency Suite	R471.1	Current	2020-10	Standalone Software
UniSim Design	R460.1	Supported	2018-01	Standalone Software
UniSim Design	R461.1	Supported	2019-04	Standalone Software
UniSim Design	R470.1	Supported	2019-10	Standalone Software
UniSim Design	R471.1	Supported	2020-10	Standalone Software
UniSim Design	R480.1	Supported	2020-10	Standalone Software
UniSim Design	R481	Current	2021-06	Standalone Software
Web Order Services 54x	R540.1	Current	2014-08	Standalone Software

Note: Software releases not listed in the table are in “Phased Out” lifecycle status. The HPS Product Support Guide for Control, Safety and Monitoring Systems is available for download [here](#).

Only Latest and Latest-1 patches/updates are supported by GTAC at the defined support level for the software functional release.

Definitions:

“Software Package” means any HPS software product developed for the specific functional release of system software.

“Standalone Software” means any HPS software product developed for independent operation from a system software functional release.

“System Software” means machine-readable data and executable programs used to define the functionality of the HPS control system and standard hardware products, but does not include firmware, operating system, application software or other software products.